


Geowoods

TABULA



geotiles
cerámica



Geowoods

TABULA

TABULA with a Nordic soul that breathes a balance style is made in a 20x120 size and two finished, C1 for interiors and anti-slip C3 for exterior.

The serie has 5 colors; (*Haya, Miel, Cerezo, Blanco y Ceniza*)

It also has a wide range of technical solutions in special pieces to maximize its possibilities. Tabula serie is completed with two steps, one of 32x120 for interiors in one whole piece and creating a solid space and other one 20x120 anti-slip for the exterior.

TABULA con un aire nórdico que respira un estilo equilibrado en un formato de **20x120** rectificado y dos acabados, C1 para interior y antideslizante C3 para exterior.

La serie se compone de 5 tonalidades (*Haya, Miel, Cerezo, Blanco y Ceniza*)

También cuenta con una amplia gama de soluciones técnicas en piezas especiales para explotar al máximo sus posibilidades. La serie Tabula se completa con dos peldaños, uno de 32x120 para interior en una sola pieza creando un espacio sólido y otro de 20x120 antideslizante para exterior.

geotiles
cerámica

TABULA

Woods Selections



UNE-ENV 12633-2003

DIN 511 +30:2004

20X120 8"X48"

-  *Porcelain tile*
Porcelánico
-  *Rectified*
Rectificado
-  *Matt surface*
Superficie Mate
-  *Hygienic and Anti-Allergenic*
Higiénico y antialérgico
-  *Fireproof*
Ignífugo
-  *Durable and resistant*
Duradero y resistente
-  *Easy maintenance*
Fácil mantenimiento
-  *Responsible*
Responsable

Cerezo

Miel

Haya

Ceniza

Blanco

NATURAL RECTIFIED

20x120 / 8"x48"

Clase 1-R10

NATURAL ADZ. RECTIFIED

20x120 / 8"x48"

Clase 3-R11

NATURAL RECTIFIED

20x120 / 8"x48"

Clase 1-R10

NATURAL ADZ. RECTIFIED

20x120 / 8"x48"

Clase 3-R11

NATURAL RECTIFIED

20x120 / 8"x48"

Clase 1-R10

NATURAL ADZ. RECTIFIED

20x120 / 8"x48"

Clase 3-R11

NATURAL RECTIFIED

20x120 / 8"x48"

Clase 1-R10

NATURAL ADZ. RECTIFIED

20x120 / 8"x48"

Clase 3-R11

NATURAL RECTIFIED

20x120 / 8"x48"

Clase 1-R10

SPECIAL PIECES

SPECIAL PIECES

SPECIAL PIECES

SPECIAL PIECES

SPECIAL PIECES

STEP EXTRUS.

32x120 / 13"x48"

Clase 1-R10

STEP GRADONE / ADZ.

20x120 / 8"x48"

C1-R10 / C3-R11C

STEP EXTRUS.

32x120 / 13"x48"

Clase 1-R10

STEP GRADONE / ADZ.

20x120 / 8"x48"

C1-R10 / C3-R11C

STEP EXTRUS.

32x120 / 13"x48"

Clase 1-R10

STEP GRADONE / ADZ.

20x120 / 8"x48"

C1-R10 / C3-R11C

STEP EXTRUS.

32x120 / 13"x48"

Clase 1-R10

STEP GRADONE / ADZ.

20x120 / 8"x48"

C1-R10 / C3-R11C

STEP EXTRUS.

32x120 / 13"x48"

Clase 1-R10

MALLA



30x30 / 12"x12"

REMATE
PELD. ANG
IZQ-DER.

3x32 / 1,2"x13"

MALLA



30x30 / 12"x12"

REMATE
PELD. ANG
IZQ-DER.

3x32 / 1,2"x13"

MALLA



30x30 / 12"x12"

REMATE
PELD. ANG
IZQ-DER.

3x32 / 1,2"x13"

MALLA



30x30 / 12"x12"

REMATE
PELD. ANG
IZQ-DER.

3x32 / 1,2"x13"

MALLA



30x30 / 12"x12"

REMATE
PELD. ANG
IZQ-DER.

3x32 / 1,2"x13"

SKIRTING ROMO

9x120 / 3,6"x48"

SKIRTING ROMO

9x120 / 3,6"x48"

SKIRTING ROMO

9x120 / 3,6"x48"

SKIRTING ROMO

9x120 / 3,6"x48"

SKIRTING ROMO

9x120 / 3,6"x48"



Geowoods

TABULA

20x120/8"x48"

Color Haya

Natural Rectified





Geowoods

TABULA

20x120/8"x48"
Color Blanco
Natural Rectified



32x120/13"x48"
Peldaño Extrus

Geowoods

TABULA

20x120/8"x48"
Color Ceniza
Natural Rectified





Geowoods

TABULA

20x120/8"x48"
Color Cerezo
Natural Rectified





Geowoods
ADZ.TABULA

20x120/8"x48"
Color Miel
Natural Adz
Rectified

Peldaño
Gradone ADZ
20x120/8"x48"



32x120/13"x48"
Peldaño Extrus

Remate Peldaño,
Ang Derecho
3x32/1,2"x13"

Geowoods

TABULA

20x120/8"x48"
Color Miel
Natural Rectified



Geowoods

TABULA / ADZ TABULA




Haya

20x120/8"x48" Natural Rectified
20x120/8"x48" Natural Adz Rectified



Miel

20x120/8"x48" Natural Rectified
20x120/8"x48" Natural Adz Rectified



Cerezo

20x120/8"x48" Natural Rectified
20x120/8"x48" Natural Adz Rectified

Porcelain



Thickness 9mm
Espesor 9mm



Blanco

20x120/8"x48" Natural Rectified



Ceniza

20x120/8"x48" Natural Rectified
20x120/8"x48" Natural Adz Rectified

SPECIAL PIECES



Available in all colors
Disponibles en todos los colores




32x120/13"x48" Peldaño Extrusionado
20x120/8"x48" Peldaño Gradone ADZ

Remate
Peld. Ang.
Izq. Der.
3x32 / 1,2"x13"

Rodapié Romo



9x120 / 3,6"x48"



Malla
30x30 / 12"x12" (2,5x7)



Technical Features / Características Técnicas

STANDARD NORMES NORMAS DE ENSAYO	ISO 10545-2	ISO 10545-3	ISO 10545-4	ISO 10545-6	ISO 10545-9	ISO 10545-12	ISO 10545-13	ISO 10545-14	DIN 51130 DIN 51097 UNE-ENV 12633 ASTM C 1028
VALUE REQUIRED BY EN 14411 STANDARD VALORES PRESCRITOS NORMA EN 14411		< 0.5%	> 35 N/mm ² > 1300 N	Máx.175 mm ³	Test method available Método de ensayo disponible	Test method available Método de ensayo disponible	Test method available Método de ensayo disponible	Test method available Método de ensayo disponible	R Rating Clase
AVERAGE VALUE VALOR MEDIO	Conforms to Standard Cumple la norma	0.1%	35-45 N/mm ² 1800-2500 N	110-130 mm ³	Resists Resiste	Resists Resiste	Conforms to Standard Cumple la norma	Conforms to Standard Cumple la norma	According to models Según modelos

**Group Bla (gl) Water
Absorption <0.5% / Grupo
Bla (gl) Absorción de Agua
<0.5%**

Dimensional Features
Características dimensionales

Thermal shock resistance
Resistencia al choque térmico

Resistance to stains
Resistencia a las manchas

Modulus of rupture
Resistencia a la flexión

Chemical resistance
Resistencia química
Acids and bases
Ácidos y bases

Water absorption
Absorción de agua

Frost resistance
Resistencia a la helada

Slip Resistance
Resistencia al deslizamiento

Resistance to deep abrasion
(mm³)Resistencia a la abrasión
profunda (mm³)

Cleaning products and pool
reactive agents
Productos de limpieza y
reactivos de piscinas

Packing List

	Pes/Box Pz/Caja	Sqm/Box m ² /Caja	Boxes/Pallet Cajas/Palet	Sqm/Pallet m ² /Palet	Kg/Box Kg/Caja	Kg/Pallet Kg/Palet
20x120 (F)	7	1,68	44	73,92	32	1.437
20x120 (Gradone ADZ)	3	0,72	20	14,40	15	300
32x120 (Extrus)	2	0,38	14	5,32	36,6	512,4
9x120 (Rodapié romo)	10	1,08	42	45,36	28	1.176
30x30 (Malla)	7	0,63	48	30,24	15,4	739,2
3x32 (Remate Iz-Dc)	20	0,46	60	45,36	3,5	219

GEOTILES reserves the right to modify the packing of any product reference.

GEOTILES se reserva el derecho a modificar el packing (en relación al espesor de la pieza).

Geologica tile S.L.U. operates a policy of continuous development and reserves the right to make changes to its products, colours, engineering specifications, packaging codes without prior notice. Geologica tile has taken every effort to ensure that the information contained in the catalogue is correct at the time of publication. Due to the limitations of the printing process, the colours reproduced may vary slightly from the original product.

Geologica tile S.L.U. "Geotiles" aplica una política de continuo desarrollo de sus productos y se reserva el derecho a realizar cambios en los productos, colores, especificaciones técnicas y códigos sin previo aviso. Geologica tile ha realizado un esfuerzo considerable para que toda la información sea adecuada en el momento de la publicación del catálogo. A causa de las limitaciones del proceso de impresión los colores reproducidos pueden sufrir ligeras variaciones con respecto al producto original.

geotiles
cerámica

GEOTILES, S.L.U.
Carretera Vila-real - Onda, Km.6
Apdo Correos 116
12540 Vila-real (Castellón) SPAIN
Tel.: +34 964 522 700
www.geotiles.com